

# INDEX MAPS.

**T.7N R.2W 2<sup>nd</sup> Mer.**

	269		269		268		268		268		267	
271	6	290	5	286	4	283	3	279	2	275	1	267
	290		290		286		282		279		275	
271	7	289	8	286	9	282	10	278	11	275	12	266
	290		289		285		282		278		274	
271	18	289	17	285	16	281	15	278	14	274	13	266
	291		288		285		281		277		273	
270	19	288	20	284	21	281	22	277	23	273	24	265
	291		288		284		280		277		273	
270	30	287	29	284	28	280	27	276	26	272	25	265
	292		287		283		280		276		272	
269	31	287	32	283	33	279	34	276	35	272	36	265
	264		264		264		263		263		263	

**T.8N R.2W 2<sup>nd</sup> Mer.**

	298		298		298		297		297		297	
300	6	320	5	316	4	312	3	308	2	304	1	296
	320		319		315		312		308		304	
300	7	319	8	315	9	311	10	308	11	304	12	296
	320		319		315		311		307		303	
300	18	318	17	315	16	311	15	307	14	303	13	296
	321		318		314		310		306		303	
299	19	318	20	314	21	310	22	306	23	302	24	295
	321		317		313		310		306		302	
299	30	317	29	313	28	309	27	306	26	302	25	295
	321		317		313		309		305		301	
299	31	316	32	312	33	309	34	305	35	301	36	295
	294		294		294		293		293		293	

The figures on the lines refer to the page.

Township No 8 North of Range No 2 West of the 2<sup>nd</sup> Mer. Sec.<sup>12</sup>  
Ch. 1<sup>st</sup> Sec.

South Branch April 4<sup>th</sup> 1811.

- West From the cor. of Towne No 7 & 8. N. R. No 1 & 2 W. in  
the South Branch of Sec. 36. T. No 8 N. R. No 2 W.  
40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Sycam 18 in. dia. bore S 63 E. 16 miles dist; & a  
Sugar 12 in. dia. N 44 W. 16 in. dia.  
43.00 To a Brook 3 miles wide; Cross St.  
44.25 To a Oak 24 in. dia. It stands in the line.  
80.00 Set a post for the cor. to Sec. 35, & 36. T. No 8 N. R. No  
2 W. from which a Buck 5 in. dia. bore S 22 E. 10 the  
dist; & a Do 12 in. dia. N 35 W. 15 in.  
— Land good; Timber Buck, Sugar, Oak &c.

- West 2<sup>nd</sup> Mile in the South Branch of Sec. 35. T. No 8 N.  
R. No 2 W.  
40.00 Set a trap post for the cor. to  $\frac{1}{4}$  sec. from which a  
Buck 18 in. dia. bore S 85 W. 13 miles dist; & a  
Do 15 in. dia. S 18 E. 13 in. dia.  
69.75 To a Sugar 16 in. dia. It stands in the line.  
80.00 Set a post for the cor. to Sec. 34 & 35. T. No 8 N. R. No  
2 W. from which a Sugar 12 in. dia. bore South 17 the dist  
under a Mulberry 8 in. dia. bore N 54 W. 34 miles dist.  
Land on the R<sup>t</sup>  $\frac{1}{2}$  mile same as before. 2<sup>nd</sup>  $\frac{1}{2}$  mile.  
Rich level land; Timber Sugar, Buck under Poplar

- West 3<sup>rd</sup> Mile in the South Branch of Sec. 34 T. No 8 N. R.  
No 2 W. 2<sup>nd</sup> Mer.  
32.50 To a Buck 12 in. dia. It stands in the line.  
40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Heich 20 in. dia. bore S 68 E. 34 miles dist; & a  
Do 18 in. dia. N 87 W. 25 in. dia.  
67.75 To a Heich 12 in. dia. It stands in the line.  
80.00 Set a post for the cor. to Sec. 33 & 34. T. No 8 N. R. No 2 W.  
from which a Heich 12 in. dia. bore S 74 E. 16 the  
dist; under a Do 14 in. dia. N 14 W. 20 in.  
— Land soil under timber same as in the last mile.

294

I. N<sup>o</sup> 8. N.R. N<sup>o</sup> 277. 2<sup>nd</sup> Mer. (Cud.)

- West 4<sup>th</sup> Mile on the South Boundary of Sec. 33. I. N<sup>o</sup> 8. N.R. N<sup>o</sup> 277.
- 31.50 To a W. Oak 30 in. dia. stands in the line.
- 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a Hickory 12 in. dia. bears S 54 W. 30 links dist; to W. Oak 18 " " " N 79 E. 43 " " "
- 46.00 To a Brook 3 links wide; corner S.
- 80.00 Set a post for the cor. to Sec. 32, 133. I. N<sup>o</sup> 8. N.R. N<sup>o</sup> 277. from which a Gum 12 in. dia. bears S 57 E. 18 links dist; to Hickory 16 " " " N 33 W. 19 " " " Good Oak Cuts;

- West 5<sup>th</sup> Mile on the South Boundary of Sec. 30. I. N<sup>o</sup> 8. N.R. N<sup>o</sup> 277.
- 28.50 To a Poplar 28 in. dia. stands in the line.
- 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a Dogwood 6 in. dia. bears N 84 E. 31 links dist; under Sugar 12 " " " West 24 " " "
- 80.00 Set a post for the cor. to Sec. 31, 130. I. N<sup>o</sup> 8. N.R. N<sup>o</sup> 277. from which a Sugar 16 in. dia. bears N 49 E. 23 links dist; to Poplar 16 " " " N 49 W. 23 " " " Good Oak Cuts.

- West 6<sup>th</sup> Mile. on the South Boundary of Sec. 31. I. N<sup>o</sup> 8. N.R. N<sup>o</sup> 277.
- 17.00 To a Brook 3 links wide; corner S.
- 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a Sugar 14 in. dia. bears S 76 W. 13 links dist; to Walnut 8 " " " N 55 E. 20 " " "
- 50.00 To a Brook 10 links wide; corner S.E.
- 77.00 " " " 3 " " " N.
- 80.50 Set a temporary post for the cor. to S. 7. & 8. N.R. 277. Cuts good; Timber Sugar Oak & Poplar. Sec. 30. N.R. Sec. 31. I. N<sup>o</sup> 8. N.R. N<sup>o</sup> 277.

D. N. 8. N. R. N. 2 W. 2<sup>nd</sup> Mer. Sec. 2

## East Boundary.

North 1<sup>st</sup> Mile on the East Boundary of Sec. 36 T. N. 8 N. R. N. 2 W.

15.00 Top Brook 50 links wide; leaves S. E.

40.00 Set a post for the cor. to 1/4 sec. from which a  
Tree 13 in. dia. bears S 60 E. 17 links dist; 10  
Do 15 " " " N 40 W. 15 " "

55.50 Iron Ash 1 1/2 in. dia. stands in the line.

80.00 Set a post for the cor. to Sec. 25, & 36 T. N. 8 N. R. N. 2 W. from which a  
Dogwood 4 in. dia. S. W. N 60 E. 10 links dist; 10  
Tree 18 " " " S 15 W. 27 " "  
Sands R. oaks; Sugar, Walnut, Ash.  
2nd 1/2 mile Sands rich and level; Timber same

North 2<sup>nd</sup> Mile on the East Boundary of Sec. 25 T. N. 8 N. R. N. 2 W.

16.50 Top Brook 8 links wide; leaves East.

28.00 Top Tree 40 in. dia. stands in the line.

40.00 Set a post for the cor. to 1/4 sec. from which a  
Sugar 13 in. dia. bears S 24 E. 20 links dist; 10  
Tree 8 " " " N 65 W. 26 " "

44.00 Top Brook 60 links wide; leaves S. E.

80.00 Set a post for the cor. to Sec. 24 & 25 T. N. 8 N. R. N. 2 W. from which a  
Sugar 13 in. dia. bears N 55 E. 11 links dist; 10  
Do 14 " " " S 43 W. 24 " "  
Sands rich and timber same as on the last mile.

North 3<sup>rd</sup> Mile on the South Boundary of Sec. 24 T. N. 8 N. R. N. 2 W.

18.00 Top Oak 20 in. dia. stands in the line.

40.00 Set a post for the cor. to 1/4 sec. from which a  
Sugar 16 in. dia. bears S 78 W. 14 links dist; 10  
Tree 3 " " " S 10 E. 13 " "

80.00 Set a post for the cor. to Sec. 13 & 24 T. N. 8 N. R.



T. N. 8 N. R. No. 2 W. 2<sup>nd</sup> Mer. (Ind.)

No 2 W. from which  
 Sugar 13 in. dia. beam No 6 E. 4 miles dist; 10  
 No 6 a n n N 16 W. 24 a n n  
 Some of middling quality; Timber Beech, Sugar  
 & Poplar.

North 4<sup>th</sup> Mile. on the East Boundary of Sec 13 T. N. 8  
 N. R. No 2 W.

40.00 Set a post for the cor. to 1/4 sec. from which  
 W. Oak 16 in. dia. beam No 2 W. 37 miles dist; 10  
 Logwood 6 a n n N 47 E. 13 a n n

69.00 Iron Brook 8 miles dist; course S. E.

78.00 Iron Sugar 13 in. dia. stands on the line.

80.00 Set a post for the cor. to Sec. 12 & 13. T. N. 8 N. R.  
 No 2 W. from which an Oak 6 in. dia. beam N 30 W.  
 11 miles dist; course W. Oak 5 a n n No 6 E.  
 18 a n n Some 2<sup>nd</sup> rate; Timber Oak, Poplar &c.

North 5<sup>th</sup> Mile on the East Boundary of Sec. 12 T. N. 8.  
 N. R. No 2 W.

23.50 Iron Beech 14 in. dia. stands on the line.

35.10 Iron Spring 20 miles dist; course S. E. Rattle  
 Snake den at the head.

40.00 Set a post for the cor. to 1/4 sec. from which  
 Poplar 40 in. dia. beam N 45 E 8 miles dist; 10  
 No 36 a n n N 54 W. 24 a n n

80.00 Set a post for the cor. to Sec. 10 & 12 T. N. 8 N. R. No  
 2 W. from which  
 Logwood 4 in. dia. beam No 6 W. 7 miles dist; 10  
 W. Oak 30 a n n No 40 E. 5 a n n  
 Some hard; Timber Oak.

North On the 6<sup>th</sup> Mile; East Boundary of Sec. 1. T. N.  
 8 N. R. No 2 W.

28.50 Iron W. Oak 36 in. dia. stands on the line.

40.00 Set a post for the cor. to 1/4 sec. from which

T. No 8 N.R. No 27. 2<sup>nd</sup> Mer. Ind.

W Oak 10 in. dia. beam S 56 N. 11 links dist; 10  
 Poplar 40 n n n N 31 E. 7 n n  
 57.50 To an N. Oak 20 in. dia. beam in the line  
 81.00 Set a temporary post for the cor. to T. No 8. 19. N.R. No  
 1 & 27.

North Boundary April 6<sup>th</sup> 1811.

West 1<sup>st</sup> Mile from the cor of Towns 8. & 9. N.R. No 27.  
 in the North Boundary of Sec. 36. T. No 9. N.R. No 27.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Hickory 13 in. dia. beam N 37 E. 31 links dist; 10  
 Do 14 n n n S 53 N. 22 n n  
 80.00 Set a post for the cor. to Sec. 35. & 36 T. No 9. N.R.  
 No 27. from which a Logwood 5 in. dia. beam  
 S 46 N. 28 links dist; 10 Do 4 n n n  
 S 46 E. 16 n n  
 Ends here; Timber Oak & Hickory

West 2<sup>nd</sup> Mile in the South Boundary of Sec. 35 T. No  
 9. N.R. No 27. 2<sup>nd</sup> Mer.  
 35.00 To a Brook 10 links from corner South.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Birch 10 in. dia. beam N 46 E. 14 links dist; 10  
 Logwood 5 n n n N 87 N. 16 n n  
 80.00 Set a post for the cor. to Sec. 34. & 35 T. No 9. N.  
 R. No 27. from which a  
 W. Oak 15 in. dia. beam N 30 N. 7 links dist; 10  
 W. Oak 18 n n n S 45 N. 13 n n  
 Ends here ends timber same as in the last mile.

West 3<sup>rd</sup> Mile in the South Boundary of Sec. 34. T. No 9  
 N.R. No 27  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Sugar 12 in. dia. beam S 25 E. 13 links dist; 10  
 Do 8 n n n N 5 N. 12 n n  
 80.00 Set a post for the cor. to Sec. 33. & 34. T. No 9. N.R. No

T<sup>N</sup> 8 N<sup>R</sup> 27. 2<sup>nd</sup> Mer. (Ind.)2<sup>nd</sup> Mer. from which

Sum 5 in. dia. base 440 W. 12 miles dist; and

13 Oak 36 in. dia. base 155 E. 15 in. dia.

Lands level Timber Oak, Poplar, Sugar, &amp;c.

West 4<sup>th</sup> Mile on the South Boundary of Sec. 33 T<sup>N</sup> 9 N.  
N<sup>R</sup> 27.40.00 Set a post for the cor. to 1/4 Sec. from which  
Sum 10 in. dia. base 122 W. 13 miles dist; and  
Do 13 in. dia. base 117 W. 30 in. dia.80.00 Set a post for the cor. to Sec. 32 & 33. T<sup>N</sup> 9 N.  
N<sup>R</sup> 27. from which

W. Oak 16 in. dia. base 125 E. 4 miles dist; and

Sugar 8 in. dia. base 135 W. 30 in. dia.

Good lands; Timber Sugar, Oak, and Walnut

West 5<sup>th</sup> Mile on the South Boundary of Sec. 32. T<sup>N</sup> 9  
N<sup>R</sup> 27.

24.00 Trap Brook 20 miles wide; source N. W.

40.00 Set a post for the cor. to 1/4 Sec. from which  
Sum 5 in. dia. base 187 E. 18 miles dist; and  
Butternut 12 in. dia. base 140 W. 16 in. dia.80.00 Set a post for the cor. to Sec. 31 & 32 T<sup>N</sup> 9 N.  
N<sup>R</sup> 27. from which

Sugar 12 in. dia. base 130 E. 14 miles dist; and

Buck 8 in. dia. base 112 W. 12 in. dia.

Lands level and timber same as the last mile

West 6<sup>th</sup> Mile on the South Boundary of Sec. 31. T<sup>N</sup> 9  
N<sup>R</sup> 27.

40.00 Set a post for the cor. to 1/4 Sec. from which

Sugar 16 in. dia. base 126 W. 26 miles dist; and

Do 4 in. dia. base 130 E. 5 in. dia.

80.00 Set a temporary post for the cor. to T<sup>N</sup> 8 & 9, N<sup>R</sup>.  
213 W. Lands level and timber same as the  
last mile. T<sup>N</sup> 9 N<sup>R</sup> 27.



T. No. 8. N. R. No. 2 W. 2<sup>nd</sup> Mer. Ind.

West Boundary. April 7. 1811.

- North 1<sup>st</sup> Mile from the cor. to T. No. 7 & 8 N. R. No. 213  
W. on the East Boundary of Sec. 36. T. No. 8 N. R.  
No. 3 W.
- 11.50 To a Buck 8 in. dia. side; hence S. E.
- 45.00 Set a post for the cor. to 1/4 sec. from which a  
Buck 14 in. dia. side S 20 W. 31 miles dist; to  
do do do do do N 51 E. 26 do do
- 54.00 To a Buck 14 in. dia. side in the line.
- 80.00 Set a post for the cor. to Sec. 25 & 36. T. No. 8 N. R.  
No. 3 W. from which a Buck 12 in. dia. side  
S 59 E. 18 miles dist; to Gum 22 do do do  
N 19 W. 22 do do do Lumbered; Timber Buck  
Gum & Poplar.

- North 2<sup>nd</sup> Mile on the East Boundary of Sec. 25. T. No.  
8 N. R. No. 3 W.
- 19.50 To a Gum 20 in. dia. side in the line.
- 40.00 Set a post for the cor. to 1/4 sec. from which a  
Hickory 10 in. dia. side N 19 E. 10 miles dist; to  
Hickory 11 do do do N. 26 W. 37 do do
- 80.00 Set a post for the cor. to Sec. 24 & 25 T. No. 8 N. R. No.  
3 W. 2<sup>nd</sup> Mer. from which a  
Buck 9 in. dia. side N 25 W. 10 miles dist; to  
Maple 12 do do do S 49 E. 22 do do do  
Lumbered Timber Oak &c.

- North 3<sup>rd</sup> Mile on the East Boundary of Sec. 24 T. No. 8  
N. R. No. 3 W.
- 15.00 To a Hickory 18 in. dia. side in the line.
- 40.00 Set a post for the cor. to 1/4 sec. from which a  
Gum 13 in. dia. side N 59 W. 12 miles dist; to  
do 5 do do do do S 43 E. 14 do do do
- 80.00 Set a post for the cor. to Sec. 13 & 24 T. No. 8 N. R.  
No. 3 W. from which a Poplar 5 in. dia. side N 18 E.  
15 miles dist; to Poplar 5 in. dia. side East 12 miles dist.



T. N. 8 N. R. No 2 W. 2nd Mer. (Ind. 2)

Land Heilly and Stacy Timber Oak &c.

---

North	4 <sup>th</sup> Mile on the East Boundary of Sec. 13. T. N. 8 N. R. No 3 W.
35.00	Iron Buck 14 in. dia. stands in the line.
40.00	Set a post for the cor. to 1/4 Sec. from which a Buck 15 in. dia. bears S 52 W. 40 miles dist; to do 14 n n n S 60 E. 32 n n n
47.00	Iron Buck 57 miles wide; corner S. W.
80.00	Set a post for the cor. to Sec. 12. & 13. T. N. 8 N. R. No 3 W. from which a Buck 13 in. dia. bears S 58 E. 22 miles dist; to Sugar 18 n n n N 76 W. 19 n n n Land Heilly and Stacy Timber Same as before

---

North	5 <sup>th</sup> Mile on the South Boundary of Sec. 12. T. N. 8 N. R. No 3 W.
40.00	Set a post for the cor. to 1/4 Sec. from which a Buck 14 in. dia. bears N 61 W. 14 miles dist; to do 7 n n n S 47 E. 16 n n n
63.50	Iron Sugar 7 in. dia. stands in the line.
69.00	Iron Buck 15 miles wide; corner S. W.
80.00	Set a post for the cor. to Sec. 10 & 12. T. N. 8 N. R. No 3 W. from which a Sugar 14 in. dia. bears S 68 W. 20 miles dist; to Buck 15 n n n N 86 E. 18 n n n

---

North	6 <sup>th</sup> Mile on the South Boundary of Sec. 1. T. N. 8 N. R. No 3 W.
9.00	Iron Poplar - in dia. stands in the line.
40.00	Set a post for the cor. to 1/4 Sec. from which a Poplar 20 in. dia. bears S 82 E. 23 miles dist; to Buck 6 n n n S 82 W. 27 n n n
78.00	Enter into the East & West line 10 ch. East of the temp. post set for the cor. to S. 8. & 9. R. 2 & 3 W. made set a post for the cor. to S. 8. & 9. R. 2 & 3.

T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 2 W. 2<sup>nd</sup> Mer. (Ind. 4)

N. R. N<sup>o</sup> 2 & 3 W. from which a  
Sugar 13 in. dia. bears S 77 E. 9 miles north; &  
Ho 12 a n n S 46 W. 17 n n  
Sandy soil and timber same as on the last mile.

Surveyed by  
Alexander Holmes Esq.

### Subdivisions

North Bottom Sec. 35, 136. T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 2 W.  
23.50 To a Brook 25 miles wide; course S. E.  
40.00 Set a post for the cor. to 1/4 Sec. from which a  
Beck 12 in. dia. bears S 44 W. 34 miles north;  
Kick 12 n n n N 40 E. 23 n n  
72.50 To a Brook 25 miles wide; course S. E.  
80.00 Set a post for the cor. to Sec. 25, 26, 35, 136. from  
which a Sugar 10 in. dia. bears S 80 E. 20 miles  
dist; & Beck 20 n n n S 76 W. 7 n  
Sandy soil and rolling timber Poplar, Oak,  
Walnut and Sugar.

East On a Random line between Sec. 25, 136. T. N<sup>o</sup> 8.  
N. R. N<sup>o</sup> 2 W.  
13.50 To a Spring course South  
27.00 To a Brook 10 miles wide; course S. W.  
40.00 Set a timber post for the cor. to 1/4 Sec.  
80.00 Intersperse the N. 83. 12 miles South of the post set  
for the cor. to Sec. 25, 136.  
Sandy soil and timber same as on the last mile.

West On the true line between Sec. 25, 136. T. N<sup>o</sup> 8 N.  
R. N<sup>o</sup> 8 W.  
40.00 Set a post for the cor. to 1/4 Sec. at the above dist on  
the true line. from which a  
W. Oak 10 in. dia. bears N 74 E. 17 miles north; &  
W. Oak 20 n n n S 56 W. 16 n n

T. N. 8. N. R. N. 27. 2<sup>nd</sup> Mer. (Ind. <sup>o</sup>)

80.00 To the first lot for the cor. to Sec. 25, 26, 35, 36.

North Return Sec. 25, 26. T. N. 8 N. R. N. 27.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which  
 Bush 15 in. dia. bears S 72 W. 18 miles dist; to  
 120 8 n n n S 74 E 7 n n

80.00 Set a post for the cor. to Sec. 23, 24, 25, 26 from  
 which on E line 12 in. dia. bears N 12 W. 9 miles dist;  
 made a Bush 15 n n n S 20 E. 10 n n  
 Same soil made timber same as in the last mile.

East On a Random line between Sec. 24 & 25. T. N. 8  
 N. R. N. 27.

40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.

50.00 To a Bush 20 miles mid; corner S.

80.20 Enter the N. & S. line 10 miles North of the  
 first lot for the cor. to Sec. 24, & 25.  
 Same soil made timber same as in the last mile

West On the true line between Sec. 24 & 25. T. N. 8 N.  
 R. N. 27.

40.10 Set the temporary post on the above dist. on the true  
 line for the cor. to  $\frac{1}{4}$  sec. from which a  
 Bush 12 in. dia. bears N 60 E. 15 miles dist; to  
 18 n n n S 56 W 24 n n

80.00 To the first lot for the cor. to Sec. 23, 24, 25, & 26.

North Return Sec. 23 & 24 T. N. 8 N. R. N. 27.

37.00 To a Spring East

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Bush 7 in. dia. bears N 65 W. 20 miles dist; to  
 Red Bud, 5 n n n N 87 E. 11 n n

44.00 To a Bush 15 miles mid; corner S. E.

80.00 Set a post for the cor. to Sec. 13, 14, 23, & 24 T. N.  
 8 N. R. N. 27. from which  
 Apple 40 in. dia. bears N 4 W. 11 miles dist; to



## T. N. 8 N.R. N. 27. 2nd Mer. (Ind. a)

Log on 15 in. dia. trees S44 E. 24 miles dist; & R  
Sands soil on timber same as on the last mile

East	On a random line between Sec. 13 & 24. T. N. 8 N.R. N. 27.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ sec.
46.00	To a Spring - same South.
79.30	Enter into the N. & S line 30 miles South of the post. Set for the cor. to Sec. 13 & 24. Sands soil on timber same as on the last
West	On the true line between Sec. 13 & 24. T. N. 8 N.R. N. 27.
39.65	Set the temporary post at the aver. dist. on the true line for the cor. to $\frac{1}{4}$ sec. from which a Cum 20 in. dia. trees S60 E. 3 miles dist; & R Logwood 5 in. - N33 W. 25 in. -
79.30	To the post set for the cor. to Sec. 13 14 23 & 24
North	Between Sec. 13 & 14. T. N. 8 N.R. N. 27.
40.00	Set a post for the cor. to $\frac{1}{4}$ sec. from which a Log on 12 in. dia. trees N87 W. 20 miles dist; & R Elm. 6 in. - S59 E. 18 in. -
80.00	Set a post for the cor. to Sec. 13 14 11 & 10. from which a Tree 30 in. dia. trees S10 W. 13 miles dist; and a Logwood 5 in. - N15 E. 19 in. - Sands soil on timber same as on the last mile
East	On a random line between Sec. 12 & 13. T. N. 8 N.R. N. 27.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ sec.
79.80	Enter into the N. & S line 34 miles North of the post set for the cor. to Sec. 12 & 13. Sands soil on timber same as on the last mile.
West	On the true line between Sec. 12 & 13. T. N. 8 N.R. N. 27.



T. N. 8 N.R. N. 2 W. 2nd Mer. (Ind.)

2 W 2nd Mer.

- 39.90 Set the temporary post at the corner dist on the true line  
for the cor. to  $\frac{1}{4}$  sec. from which a  
Heikil 8 in. dia. beam S10 E. 14 links dist; to  
Logorodo 3 in a n n N48 W. 8 n n  
79.80 To the first set for the cor. to  $\frac{1}{4}$  sec. 11. 12. 13 + 14

North Between Sub. 11. + 12. T. N. 8 N.R. N. 2 W.

15.50 To a Brook 10 links mid; hence West

40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec. from which  
a Heikil 12 in. dia. beam S72 W. 14 links dist; to  
Lo 4 n n n S57 E. 15 n n

44.00 To a Brook 10 links mid; hence S.E.

80.00 Set a post for the cor. to Sub. 1. 2. 11. + 12. from which  
a Heikil 8 in dia beam N12 E. 9 links dist; to  
Lo 25 n n n S36 W. 13 n n  
Sunde Soil made timber same as on the last mile.

East On a Meridian line between Sub. 1. + 12 T. N. 8 N.  
R. N. 2 W.

24.00 To a Brook 12 links mid; hence South.

40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.

79.30 Into Sub. the N. 13 mi 38 links South of the Post.  
Set for the cor. to Sub. 1. + 12. T. N. 8 N.R. N. 2 W.  
Sunde Soil made timber same as on the last mile.

West On the line between Sub. 10 + 12 T. N. 8 N.R. N.  
2 W. 2nd Mer.

39.65 Set the temporary post at the corner dist on the true line  
for the cor. to  $\frac{1}{4}$  sec. from which a

Heikil 12 in. dia. beam S75 W. 10 links dist; to  
Heikil 14 n n n N60 E. 23 n n

79.30 To the first set for the cor. to Sub. 1. 2. 11. 12.

North Between Sub. 1 + 2 T. N. 8 N.R. N. 2 W.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a

T. N. 8 N. R. N. 2 W. 2<sup>nd</sup> Mer. Ind.

Ironwoods 8 in. dia. bears N 41 E. 3 miles dist;  
 Dogwoods 8 n n n N 49 W. 16 n n  
 7450 Intersected the N. Boundary of T. N. 8 N. R. N. 2 W.  
 240 miles East of the first set for the cor. to Sub.  
 35.136 T. N. 9 N. R. N. 2 W. and set a post for  
 the cor. to Sub. 1.12 from which a  
 Sugar 9 in. dia. bears N 49 W. 12 miles dist; r o  
 Dogwoods 6 n n n N 11 W. 14 n n  
 Sand soil and timber same as on the last mile.

North Between Sub. 34.135 T. N. 8 N. R. N. 2 W.  
 26.50 To a Brook 12 miles wide; crosses S.E.  
 40.00 Set a post for the cor. to Sub. from which a  
 W. Oak 10 in dia. bears N 44 W. 13 miles dist; r o  
 Sugar 6 n n n S 8 E. 27 n n  
 80.00 Set a post for the cor. to Sub. 26, 27, 34.135. from  
 which a Sugar 10 in dia. bears N 62 E. 12 miles dist;  
 and a Dogwoods 3 n n S 34 E. 7 n n  
 Sand soil and timber same as on the last mile.

East On a random line between Sub. 26.135, T. N.  
 8 N. R. N. 2 W.  
 40.00 Set a temporary post for the cor. to 1/4 Sec.  
 66.50 To a Brook 10 miles wide; crosses South.  
 80.10 Intersected the N. & S line 6 miles South of the first  
 set for the cor. to Sub. 25, 26, 35, 36.  
 Sand soil and timber same as on the last mile.

West On the true line between Sub. 26.135, T. N. 8 N.  
 R. N. 2 W.  
 40.05 Set the temporary post at the same dist on the true line  
 for the cor. to 1/4 Sec. from which a  
 Sugar 10 in. dia. bears N 58 E 7 miles dist; r o  
 Do 10 n n n S 54 W. 22 n n  
 80.10 To the first set for the cor. to Sub. 26, 27, 34.135  
 T. N. 8 N. R. N. 2 W.

## T. N. 8 N. R. N. 27. 2nd Mer. (Ind.)

North	Between Sec. 26 & 27. T. N. 8 N. R. N. 27.
40.00	Set a post for the cor. to 1/4 sec. from which a Heck 10 in. dia. have 113 E. 11 links dist; 10 Saw 3 " " " 114 113 " "
80.00	Set a post for the cor. to sec. 22, 23, 26, 27. from which a Dogwood 6 in. dia. have 131 E 27 links dist under Gum 6 " " " 120 112 " " Sandy soil and timber same as in the last miles.
East	On a Random line between Sec. 23 & 26. T. N. 8 N. R. N. 27.
40.00	Set a temporary post for the cor. to 1/4 sec.
79.80	Introduced the N. & S line 27 links North of the post set for the cor. to sec. 23, 24, 25 & 26. Sandy soil and timber same as in the last miles.
West	On the true line between Sec. 23 & 26. T. N. 8 N. R. N. 27.
39.90	Set the temporary post at the corner dist in the true line for the cor. to 1/4 sec. from which a Black 6 in. dia. have 137 E 8 links dist; 10 Maple 10 " " " 159 1123 " "
79.80	To the post set for the cor. to sec. 22, 23, 26 & 27.
North	Between Sec. 22, 23. T. N. 8 N. R. N. 27.
40.00	Set a post for the cor. to 1/4 sec. from which an Elm 6 in. dia. have 129 116 links dist; 10 Poplar 10 " " " 184 E 8 " "
80.00	Set a post for the cor. to sec. 14, 15, 22, 23 from which a Walnut 10 in. dia. have 125 115 links under a W. Walnut 11 " " " 161 E. 22 " Sandy soil and timber same
East	On a Random line between Sec. 14 & 23. T. N. 8 N. R. N. 27.
40.00	Set a temporary post for the cor. to 1/4 sec.



T. N. 8 N. R. N. 2 W. 2<sup>nd</sup> Mer. Sec. 12.

- 80.12 Intersected the N. & S. line 16 miles South of the  
Post set for the cor. to Sec. 13 14. 23 & 24  
Made the same as on the last mile.
- 
- West On the true line between Sec. 14 & 23 T. N. 8 N. R.  
N. 2 W.  
40.06 Set the temp. Post at the av. dist on the true line  
for the cor. to  $\frac{1}{4}$  sec. from which  
Buck 10 in dia bears S 31 E. 14 miles dist; to  
N. Oak 12 u ~ ~ N 66 E 16 u ~  
80.12 To the post set for the cor. to Sec. 14, 15, 22, & 23.
- 
- North Between Sec. 14 & 15 T. N. 8 N. R. N. 2 W.  
40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which  
Buck 12 in dia bears S 11 W. 29 miles dist; to  
Logwood 6 u ~ ~ S 24 E. 9 u ~  
52.00 To a Brook 8 miles wide bears East.  
80.00 Set a post for the cor. to Sec. 10, 11, 14, & 15. from  
which Sugar 10 in dia bears N 27 W. 25 miles dist.  
under 12 u ~ ~ N 46 E. 29 u ~  
Made same as on the last mile.
- 
- East On a Random line between Sec. 11 & 14 T. N. 8 N.  
R. N. 2 W.  
40.00 Set a temp. Post for the cor. to  $\frac{1}{4}$  sec.  
79.50 Intersected the N. & S. line 10 miles South of the  
Post set for the cor. to Sec. 11, 12, 13, & 14.  
Made the same.
- 
- West On the true line between Sec. 11 & 14 T. N. 8 N. R. N.  
2 W.  
39.75 Set the temp. Post at the av. dist on the true line  
for the cor. to  $\frac{1}{4}$  sec. from which  
N Oak 10 in. dia bears S 10 W. 7 miles dist; to  
Hick 10 u ~ ~ N 26 W. 5 u ~  
79.50 To the post set for the cor. to Sec. 10, 11, 14 & 15



T. N<sup>o</sup> 8. N.R. N<sup>o</sup> 2 W. 2<sup>nd</sup> Mer. Ind.<sup>o</sup>

West	On the true line between Sec. 11. & 14 T. N <sup>o</sup> 8. & N.R. N <sup>o</sup> 2 W. 2 <sup>nd</sup> Mer.
39.75	Got the temporary post at the corner with the true line for the cor. to 1/4 sec. from which a Oak 10 in. dia. bears S 10 W 7 miles dist. to North 10 " " " N 26 W 5 " "
79.50	Took the post set for the cor. to Sec. 10. 11. 14 & 15
North	Between Sec. 10. & 11. T. N <sup>o</sup> 8. & N.R. N <sup>o</sup> 2 W.
40.00	Got a post for the cor. to 1/4 sec. from which a Sugar 10 in. dia. bears N 79 W. 20 miles dist; to Logwood Can. " " N 26 E. 11 " "
80.00	Got a post for the cor. to Sec. 23, 10. & 11. from which a Sassafras 6 in. dia. bears N 6 W. 5 miles dist; to Logwood 5 " " " N 36 W 11 " " Sandpail and timber same as on the last mile
East	On the true line between Sec. 2 & 11. T. N <sup>o</sup> 8. & N.R. N <sup>o</sup> 2 W.
40.00	Got a temporary post for the cor. to 1/4 sec.
64.00	Corn Brook 6 miles wide; Course South.
84.14	Intersected the N & S line 21 miles South of the post set for the cor. to 1. 2 11. 10 Sandpail and timber same as on the last mile.
West	On the true line between Sec. 2 & 11. T. N <sup>o</sup> 8. & N.R. N <sup>o</sup> 2 W. 2 <sup>nd</sup> Mer.
40.89	Got the temporary post at the corner with the true line for the cor. to 1/4 sec. from which a Pine 14 in. dia. bears S 57 E. 13 miles dist; to North 6 " " " S 40 W. 10 " "
80.14	Took the post set for the cor. to Sec. 2, 3, 10. & 11
North	Between Sec. 2 & 3 T. N <sup>o</sup> 8. & N.R. N <sup>o</sup> 2 W.
40.00	Got a post for the cor. to 1/4 sec. from which a Pine 15 in. dia. bears N 71 W. 6 miles dist; and a

389

T. N. 8. N. R. N. 2 W. 2nd Mer. (2nd.)

41.00 To 4 in. dia. beam S17 E. 16 miles north;  
 74.79 To a post 8 miles south; hence N. W.  
 Enter section the N. boundary of T. N. 8 N. R. N. 2 W.  
 185 miles East of the post for the cor. to Sec. 34 &  
 35. T. N. 9. N. R. N. 2 W. and made a cor. for the cor.  
 213. in a N. 1/4 of 8 in. dia. beam  
 Good soil made timber same as the last mile.

North Return Sec. 33 & 34 T. N. 8 N. R. N. 2 W.  
 40.00 Set a post for the cor. to 1/4 sec. from which  
 Sassafras 6 in. dia. beam S11 E. 6 miles north; to  
 Poplar 12 " " " N42 W. 19 " "  
 80.00 Set a post for the cor. to Sec. 27, 28, 33 & 34 from which  
 a Gum 6 in. dia. beam S17 N. 18 miles north. to  
 Poplar 48 " " " S45 W. 28 " "  
 Good soil made timber same as the last mile.

East On a line from the line between Sec. 27 & 34 T. N. 8 N.  
 R. N. 2 W.  
 40.00 Set a temporary post for the cor. to 1/4 sec.  
 80.08 Enter section the N. & S. line 28 miles South of the post.  
 Set for the cor. to Sec. 26, 27, 34 & 35.  
 Good soil made timber same as the last mile.

West On the true line between Sec. 27 & 34 T. N. 8 N. R. N.  
 2 W.  
 40.04 Set the temporary post at the above. Set on the true line  
 for the cor. to 1/4 sec. from which  
 Dogwood 4 in. dia. beam S35 W. 15 miles north; to  
 Buck 4 " " " S85 W. 11 " "  
 80.08 To the post set for the cor. to Sec. 27, 28, 33 & 34

North Return Sec. 27 & 28. T. N. 8 N. R. N. 2 W.  
 40.00 Set a post for the cor. to 1/4 sec. from which  
 Gum 6 in. dia. beam S84 E. 32 miles north; to  
 N. Oak 15 " " " S87 W. 10 " "

T. N. 8 N. R. N. 2 W. 2<sup>nd</sup> Mer. (Ind. Co.)

81.00 Set a post for the cor. to sec. 22, 27, & 28. From which a 7' Beech 4 in. dia. bears S 71 E. 15 links north on a Poplar 24 in. ~ S 89 W. 20 ~ Sand soil and timber same as on the last mile.

East On a Random line between Sec. 22, & 27. T. N. 8 N. R. N. 2 W.

40.50 Set a temporary post for the cor. to 1/4 sec.

81.20 Introduced the N. & S. line 28 links South of the post set for the cor. to Sec. 22, 23, 26, & 27. Sand soil and timber same as on the last mile.

West On the true line between Sec. 22, & 27. T. N. 8 N. R. N. 2 W.

44.70 Set the temporary post at the corner just on the true line for the cor. to 1/4 sec. From which a Sugar 15 in. dia. bears N 20 E. 10 links north; 10 in. Elm 5 in. ~ S 30 E. 13 in. ~

81.20 To the last set for the cor. to Sec. 21, 22, 27, & 28.

North Between Sec. 21, & 22 T. N. 8 N. R. N. 2 W.

40.50 Set a post for the cor. to 1/4 sec. From which a Poplar 30 in. dia. bears S 85 W. 4 links north; 5 in. 7' Beech 36 in. ~ N 70 E. 4 in. ~

80.00 Set a post for the cor. to Sec. 15, 16, 21, & 22. From which a Sugar 5 in. dia. bears N 29 E. 7 links north; 10 in. Ho 5 in. ~ S 55 W. 9 in. ~ Sand soil and timber same as on the last mile.

East On a Random line between Sec. 15, & 22 T. N. 8 N. R. N. 2 W.

40.00 Set a temporary post for the cor. to 1/4 sec.

80.00 Introduced the N. & S. line 12 links North of the post set for the cor. to Sec. 14, 15, 22, & 23. Sand soil and timber same as on the last mile. T. N. 8 N. R. N. 2 W.



## T. N. 8 N.R. N. 27 2nd Mer. Ind.

Ch. 1. 1/2 in.

West

On the true line between Sep. 15. &amp; 22 T. N. 8 N.R. N. 27.

40.00

Get the temporary post at the corner west on the true line for the cor. to 1/4 sec. from which

Sagm 5 in. dia. base 437 E 5.7 miles north; 10  
H 20 n n 650 77 19 n n

80.00

To the post set for the cor. to Sep. 15. 16. 21. &amp; 22.

North

Between Sep. 15. &amp; 16. T. N. 8 N.R. N. 27.

40.00

Get W Oak 15 in. dia. which stands for the cor. to 1/4 sec.

80.00

Set a post for the cor. to Sep. 9. 10. 15 & 16. from which  
which is 10 in. dia. base N 50 77 8 miles north; 10  
under W Oak 20 n n 640 77 32 n n  
Same post made timber same as on the last mile.

East

On a Random line between Sep. 10. &amp; 15 T. N. 8 N.R. N. 27.

40.00

Get a temporary post for the cor. to 1/4 sec.

79.80

Intersected the N.S. line at the post set for the cor. to Sep. 10. 11. 14 &amp; 15

Same post made timber same as on the last mile.

West

On the true line between Sep. 10. &amp; 15. T. N. 8 N.R. N. 27.

39.90

Get the temporary post at the corner west on the true line for the cor. to 1/4 sec. from which

Which is 40 in. dia. base 557 77.5 miles north; 10  
Back 10 n n 688 E. 18 n n

79.80

To the post set for the cor. to Sep. 9. 10. 15. &amp; 16.

North

Between Sep. 9. &amp; 10. T. N. 8 N.R. N. 27.

40.00

Get a post for the cor. to 1/4 sec. from which

Maple 15 in. dia. base 544 E. 4 miles north; 10  
H 15 n n 526 77 21 n n

80.00

Get a post for the cor. to Sep. 3. 4. 9. &amp; 10. from which



## T. N. 8 N.R. N. 2nd Mer. Ind. 2

4 Bush 8 in. dia. bears N44 W. 29 miles dist; ran  
 det. 26 n a n N63 E. 27 n n  
 Same same as the last one.

East On a Random line between Sec. 3 & 10. T. N. 8.  
 N.R. N. 27.

26.00 To a Brook 10 miles wide; same south.  
 40.00 Set a trap; first for the cor. to 1/4 sec.  
 80.00 Introduced the N.E.S. line 16 miles south of the  
 first det. for the cor. to Sec. 2 3 10. H1  
 Same same as the line above.

West On the true line between Sec. 3 & 10. T. N. 8. N.R.  
 N. 27.

40.10 Set the trap; first at the very dist on the true line  
 for the cor. to 1/4 sec. from which a  
 Gum 6 in. dia. bears N48 E. 20 miles dist; to  
 H1 18 n a n N1 E. 21 n n  
 80.20 To the post det. for the cor. to Sec. 3 4. 9.10.

North Between Sec. 3 & 4. T. N. 8 N.R. N. 27.

40.00 Set a post for the cor. to 1/4 sec. from which a  
 Gum 10 in. dia. bears S31 W. 5 miles dist; to  
 H1 12 n n N42 E. 14 n n  
 75.74 Introduced the N. Boundary of T. N. 8 N.R. N. 27.  
 223 miles East of the post. Set for the cor. to Sec.  
 33 & 34 T. N. 8 N.R. N. 27. and set post for the  
 cor. to Sec. 3 & 4. from which a  
 Gum 10 in. dia. bears S7 W. 14 miles dist; and a  
 H1 10 n n N64 E. 9 n n  
 Same soil and timber same as the last mile

North Between Sec. 32 & 33 T. N. 8 N.R. N. 27.

37.00 To a Brook 10 miles wide same N.W.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Gum 7 in. dia. bears N53 E. 14 miles dist; and a

## T. N. 8 N. R. N. 2 W. 2nd Mer. (Cul.)

- 80.00 Sugar 10 in. dia. base S 8 E. 19 miles dist;  
Set apart for the cor. to sub. 28, 29, 32, & 33. From  
which a Sugar 5 in. dia. base N 6 W 8 miles dist;  
under an Elm 10 in. on S 78 W. 18 in. on  
Same place as on the last mile.
- 
- East On a Random line between sub. 28, & 33. T. N. 8.  
N. R. N. 2 W.  
40.00 Set a temp. post for the cor. to  $\frac{1}{4}$  sec. from which  
81.00 Intersected the N. 23 line 30 miles south of the last  
set for the cor. to sub. 27, 28, 33 & 34  
Same soil and timber same as on the last mile.
- 
- West On the true line between sub. 28, & 33. T. N. 8 N. R.  
N. 2 W.  
40.50 Set the temp. post at the corr. set on the true line  
for the cor. to  $\frac{1}{4}$  sec. from which a  
Logwood 3 in. dia. base S 43 E. 13 miles dist; to  
Yum 12 in. on N 57 W. 34 in. on  
81.00 Set the post set for the cor. to sub. 28, 29, 32, & 33.
- 
- North Between sub. 28, & 29 T. N. 8 N. R. N. 2 W.  
81.00 To a Brook 12 miles mid; across S. W.  
10.50 To where it was crossed 3 times  
49.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
N. Walnut 7 in. dia. base N 11 E. 4 miles dist; to  
Sugar 18 in. on S 20 W. 36 in. on  
80.00 Set apart for the cor. to sub. 28, 29, 28 & 29 from which  
a Logwood 4 in. dia. base N 45 W. 11 miles dist; to  
Lo 4 in. on S 53 E. 20 in. on  
Same soil and timber same as on the last mile.
- 
- East On a Random line between sub. 21, & 28. T. N. 8 N.  
R. N. 2 W.  
40.00 Set a temp. post for the cor. to  $\frac{1}{4}$  sec. from which a  
41.00 To a Brook 15 miles mid; across S. W.

T. N. 8. N. R. N. 27. 2<sup>nd</sup> Mer. (Ind. a)

84.28 Intersect the N. & S. line 20 miles North of the  
Post set for the cor. to lat. 21. 22. 27. & 28.  
Lands sold made timber same as on the last mile.

West On the true line between lat. 21. & 28. T. N. 8. N.  
R. N. 27.

40.14 Set a post (temp.) at the corner with on the true line  
for the cor. to  $\frac{1}{4}$  sec. From which a  
Bearing 5 mi. dir. bears N 34 W. 40 miles dist; to  
Loc 15 n n n S 40 E. 28 n n

80.28 To the post set for the cor. to lat. 20. 21. 28. & 29.

North Between lat. 20. & 21. T. N. 8. & R. N. 27.

20.00 Set a post for the cor. to  $\frac{1}{4}$  sec. From which a  
Log road 6 mi. dir. bears N 37 W 4 miles dist; to  
Loc 17 10 n n n N 27 E. 16 n n

80.00 Set a post for the cor. to lat. 16. 17. 20. & 21. From which  
on ground 4 mi. dir. bears S 78 E. 5 miles dist; to  
Sugar 8 n n n S 27 W. 15 n n  
Lands sold made timber same as on the last mile.

East On a Random line between lat. 16 & 21. T. N. 8. N.  
R. N. 27.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. (temp.)

54.75 To a Brook 18 miles away; Union South.

79.95 Intersect the N. & S. line 21 miles South of the Post  
set for the cor. to lat. 15. 16. 21. & 22.  
Lands sold made timber same as on the last mile.

West On the true line between lat. 16. & 21. T. N. 8. N. R.  
N. 27.

39.97  $\frac{1}{2}$  Set the temp. Post at the corner with on the true line  
for the cor. to  $\frac{1}{4}$  sec. From which a  
Sugar 24 mi. dir. bears S 10 E. 11 miles dist; to  
W. alk 3 n n n N 58 W 12 n n

79.95 To the post set for the cor. to lat. 15. 16. 20. 21.



T. N. 8 N.R. No 27. 2<sup>nd</sup> Mer. (Ind.)

North Between Sec. 16. & 17. T. N. 8 N.R. No 27.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  Sec. from which a  
 W. Oak 7 in. dia. bears S 57 E 8 miles dist; 10  
 Do 5 " " " S 3 E. 15 " "  
 80.00 Set a post for the cor. to Sec. 8. 9. 16. & 17. from which  
 a Buck 8 in. dia. bears N 82 W. 18 miles dist; 10  
 Do 8 " " " N 65 E. 14 " "  
 Good soil and timber same as on the last mile.

East On a line from Sec. 9. & 16. T. N. 8 N.R. No 27.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  Sec. from which a  
 80.00 Enter onto the N. 83 line 20 miles South of the post  
 Set for the cor. to Sec. 9. 11. 15. 16.  
 Good soil and timber same as on the last mile.

West On the true line between Sec. 9. & 16. T. N. 8 N.R. No 27.  
 40.00 Set the temporary post at the corner. Dist on the true line  
 for the cor. to  $\frac{1}{4}$  Sec. from which a  
 W. Oak 15 in. dia. bears S 25 W. 13 miles dist; 10  
 Spruce 5 " " " S 52 E. 121 " "  
 80.00 To the post set for the cor. to Sec. 9. 8. 16 & 17.

North Between Sec. 8. & 9. T. N. 8 N.R. No 27.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  Sec. from which a  
 Buck 21 in. dia. bears N 62 W. 32 miles dist; 10  
 Elm 4 " " " N 108 E. 20 " "  
 80.00 Set a post for the cor. to Sec. 4. 5. 8. 9. from which  
 Sugar 6 in. dia. bears N 5 E 10 miles dist; 10  
 Hickory 12 " " " S 63 W. 22 " "  
 Good soil and timber same as the last mile

East On a line from Sec. 4 & 9. T. N. 8 N.R. No 27.  
 40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  Sec.  
 70.50 To a brook 10 miles from N. W.

T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 2 W. 2<sup>nd</sup> 4<sup>th</sup> Mer. Ind.<sup>n</sup>

80.10	Intersected the N. S. line 22 miles South of the fork set for the cor. to Sec. 3. 4. 9. 10. Sandy soil and timber same as on the last mile.
West	On the true line between Sec. 4 & 9 T. N <sup>o</sup> 8 N.R. N <sup>o</sup> 2 W.
40.05	Set the temporary post at the aver. dist on the true line for the cor. to $\frac{1}{4}$ Sec. from which on Elm 12 in. dia. bears N 84 E 27 miles dist. and a Hickory 11 " " " N 66 W 17 " " "
80.10	To the post set for the cor. to Sec. 4. 5. 8. 9.
North	Between Sec. 4 & 5. T. N <sup>o</sup> 8 N.R. N <sup>o</sup> 2 W.
39.50	To a Spring Run 15 miles midw. between NW.
40.00	Set a post for the cor. to $\frac{1}{4}$ Sec. from which on Beck - in dia. bears N 75 E. 14 miles dist.; and a Poplar 12 " " " N 27 E. 10 " " "
64.00	To a Brook 10 miles midw. between W.
75.67	Intersected the N. Boundary of T. N <sup>o</sup> 8 N.R. N <sup>o</sup> 2 W. 300 miles East of the post set for the cor. to Sec. 32. & 33. T. N <sup>o</sup> 9 N.R. N <sup>o</sup> 2 W. and set a post for the cor. to Sec. 4 & 5. from which on Beck 8 in. dia. bears S 64 E. 3 miles dist.; & a W Oak 12 " " " S 55 W 23 " " " Sandy soil and timber same as on the last mile
North	Between Sec. 31. & 32. T. N <sup>o</sup> 8 N.R. N <sup>o</sup> 2 W.
30.00	To a Brook 20 miles midw. between West.
40.00	Set a post for the cor. to $\frac{1}{4}$ Sec. from which on Hickory 10 in. dia. bears S 27 W. 7 miles dist.; & a Gum 18 " " " N 17 E. 10 " " "
80.00	Set a post for the cor. to Sec. 29. 30. 31. & 32. from which Poplar 40 in. dia. bears N 23 W. 28 miles dist.; & a Beck 10 " " " S 67 E. 24 " " " Sandy soil and timber same as on the last mile

T<sup>N</sup> 8 N<sup>R</sup> 2 W. 2<sup>nd</sup> Mer (Ind<sup>c</sup>)

East	On a Random line between Sec. 29. & 30 T. N <sup>o</sup> 8. N <sup>R</sup> 2 W.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ sec.
63.00	Traverse 20 miles wide; thence S <sup>W</sup> .
79.50	Intersected the N. & S line 2 miles South of the post set for the cor. to Sec. 28. 29. 30. & 31. Lands sold made timber same as on the last mile.
West	On the true line between Sec. 29. & 30 T. N <sup>o</sup> 8 N <sup>R</sup> 2 W.
39.75	Set the temporary post at the corner east on the true line for the cor. to $\frac{1}{4}$ sec. from which a Sugar 8 in. dia. has East 25 miles dist;
70.50	To the post set for the cor. to Sec. 29. 30. 31. & 32.
North	Between Sec. 29. & 30 T. N <sup>o</sup> 8. N <sup>R</sup> 2 W.
40.00	Set a post for the cor. to $\frac{1}{4}$ sec. from which a Sugar 10 in. dia. has S <sup>W</sup> 37.10 miles dist; & a Ironwood 4 in. " " N <sup>W</sup> 47.15 " "
80.00	Set a post for the cor. to Sec. 19. 20. 29. & 30. from which a " Gum 20 in. dia. has S <sup>W</sup> 50 E 14 miles dist; & a " 18 " " " N <sup>W</sup> 68 W 17 " " Lands rolling ends with timber Oak, Hickory Poplar & Sugar. T <sup>N</sup> 8 N <sup>R</sup> 2 W
East	On a Random line between Sec. 20. & 29. T. N <sup>o</sup> 8 N <sup>R</sup> 2 W.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ sec.
80.00	Intersected the N. & S line at the post set for the cor. to Sec. 20. 21. 28. & 29. Lands sold made timber same as on the last mile.
West	On the true line between Sec. 29. & 20. T. N <sup>o</sup> 8 N <sup>R</sup> 2 W.
40.00	Set the temporary post at the corner east on the true line for the cor. to $\frac{1}{4}$ sec. from which a



*T. N. 8 N. R. N. 27. 2<sup>nd</sup> Mer. Coll.*

W. Oak - in. dia. - bears S 45 W. 13 miles dist; 12  
 10 10 n n n N 45 W 11 n n  
 80.00 To the post set for the cor. to sub. 19. 20. 29. & 30.  
 Same soil and timber same as on the last mile.

North Between sub. 19. & 20. T. N. 8 N. R. N. 27.  
 40.00 Set a post for the cor. to 1/4 sec. from which  
 Buck 5 in. dia. - bears S 35 W. 9 miles dist; 12  
 W. Walnut 8 n n n N 43 E. 21 n n  
 80.00 Set a post for the cor. to sub. 17. 18. 19. & 20. From which  
 n Maple 18 in. dia. - bears S 25 W. 12 miles dist; 12  
 Poplar 5 n n n N 27 E 17 n n  
 Same soil and timber same as on the last mile.

East On a line from line between sub. 17. & 20. T. N. 8 N.  
 R. N. 27.  
 40.00 Set a temporary post for the cor. to 1/4 sec.  
 80.12 Intersected the N. & S line 15 miles North of the  
 post set for the cor. to sub. 16. 17. 20. & 21.  
 Same soil and timber same as on the last mile.

West On the true line between sub. 17. & 20 T. N. 8 N. R.  
 N. 27.  
 40.06 Set the temporary post at the above dist. on the true line  
 for the cor. to 1/4 sec. from which a  
 W. Oak 18 in. dia. - bears S 53 E. 4 miles dist; 12  
 Ash 3 n n n S 84 W 33 n n  
 80.12 To the post set for the cor. to sub. 17. 18. 19. & 20.

North Between sub. 17. & 18 T. N. 8 N. R. N. 27.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Buck 24 in. dia. - bears N 15 E. 13 miles dist; 12  
 Sugar 12 n n n S 70 W 23 n n  
 55.50 To a Brook 15 miles wide; course W.  
 80.00 Set a post for the cor. to sub. 7. 8. 17. & 18. from which  
 Hickory 24 in. dia. - bears N 16 W. 8 miles dist; 12

T. N. 8 N. R. No. 2 W. 2<sup>nd</sup> Mer. (Ind.)

Width 10 in. dia. base N 19 E. 13 links dist. to  
Sands soil and timber same as on the last mile.

East In a Random line between Sec. 8. & 17. T. N. 8 N.  
R. No. 2 W.

40.00 Set a temporary post for the cor. to 1/4 sec.

80.16 Enter Section the N & S line 26 links North of the  
post set for the cor. to sec. 8. 9. 16. & 17.  
Sands soil and timber same as on the last mile.

West In the true line between Sec. 8. & 17. T. N. 8 N. R.  
No. 2 W.

40.08 Set the temporary post at the above dist. on the true line  
for the cor. to 1/4 sec. from which a

N. Walnut 15 in. dia. base N 86 E. 18 links dist.  
at West 15 " " " N 16 E. 22 " "

80.16 To the post set for the cor. to Sec. 7. 8. 17. & 18.

North Between Sec. 7. & 8. T. N. 8 N. R. No. 2 W.

9.50 To a Brook 18 links wide; Corner N. 1/4 sec.

40.00 Set a post for the cor. to 1/4 sec. from which a  
Sugar 12 in. dia. base N 30 E. 10 links dist. to  
Beck 8 " " " S 58 E. 35 " "

71.00 To a N. Oak 18 in. dia. Stand on the line.

80.00 Set a post for the cor. to Sec. 5. 6. 7. & 8 from  
which Beck 6 in. dia. base N 43 E. 12 links dist.  
and a No. 6 " " " S 24 E. 10 " "  
Sands soil and timber same as on the last mile.

East In a Random line between Sec. 5. & 8. T. N. 8 N.  
R. No. 2 W.

40.50 Set a temporary post for the cor. to 1/4 sec.

79.90 Enter Section the N & S line 10 links North of the post  
set for the cor. to Sec. 4. 5. 8. & 9.

Sands soil and timber same as on the last mile.  
T. N. 8 N. R. No. 2 W.

## T. N. 8 N.R. N. 27. 2nd Mer (Ind. Co.)

- West On the true line between Sec. 5 & 8 T. N. 8 N.R. N. 27.  
 39.95 Set the true line post at the corner west on the true line  
 for the cor. to  $\frac{1}{4}$  sec. from which a  
 Red 20 in. dia. line East 8 links dist; and a  
 Black 24 in. N 19 E. 12 in. in  
 79.90 Set the post at for the cor. to Sec. 5. Co. 7. 188

- North Between Sec. 5 & 6. T. N. 8 N.R. N. 27.  
 36.00 Set a N. Oak 20 in. dia. line in the line.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Black 10 in. dia. line N 81 E 4 links dist; to  
 No 9 in. in N 40 W. 12 in. in  
 76.37 Entered the N Boundary of Sec. 8 N.R. N. 27. 358 links East of the post set for the  
 cor. to Sec. 31 & 32. T. N. 9. N.R. N. 27. marked  
 a post for the cor. to Sec. 5 & 6. from which a  
 Black 3 in. dia. line S 8 W. 14 links dist; to  
 Black 3 in. in N 50 W. 8 in. in  
 Same soil and timber same as on the last mile.

- West Between Sec. 6 & 7 T. N. 8 N.R. N. 27.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Black 12 in. dia. line N 66 E 26 links dist;  
 to No 26 in. in S 30 E 7 in. in  
 73.20 Entered the West Boundary of T. N. 8 N.R. N. 27. 100 links South of the post set for the cor.  
 to Sec. 1 & 12. T. N. 8 N.R. N. 37. and set a  
 post for the cor. to Sec. 6 & 7. from which a  
 Sugar 4 in. dia. line N 84 W. 15 links dist; to  
 No 18 in. in S 37 W. 24 in. in  
 Same soil and timber same as on the last mile

- West Between Sec. 7 & 18 T. N. 8 N.R. N. 27.  
 24.50 Set a Post 25 links north, corner S. N.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a



T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 27. 2<sup>nd</sup> Mer (S. a. c.)

Beck 20 in. dia. bume N65E. 16 links dist; to  
 Lf 10 a ~ ~ N34W. 14 a ~ ~  
 71.62 Intersected the West Boundary of T. N<sup>o</sup> 8 N.R.  
 N<sup>o</sup> 27. 129 links South of the first set for the  
 cor. to Sec. 12. & 13. T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 37. made  
 set a post for the cor. to Sec. 7. & 8. from which  
 Beck 8 in. dia. bume N20. E 5 links dist; to  
 Lf 12 a ~ ~ N63 E. 19 a ~ ~  
 Sand soil and timber same as on the last mile.

West Between Sec. 18. & 19. T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 27.  
 41.70 Set a post for the cor. to Sec. 18. from which  
 Beck 4 in. dia. bume N70. W. 36 links dist; to  
 Lf 4 a ~ ~ ~ ~ ~ ~ ~ ~ ~ ~  
 71.13 Intersected the West Boundary of T. N<sup>o</sup> 8 N.R. N<sup>o</sup>  
 27. 261 links South of the first set for the cor. to  
 Sec. 13 & 24 T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 37. made set a post  
 for the cor. to Sec. 18 & 19. from which  
 Beck 15 in. dia. bume N83W. 18 links dist; to  
 Dogwood 4 a ~ ~ ~ N45E. 22 a ~ ~ ~  
 Sand soil and timber same as on the last mile.

West In the true line between Sec. 19. & 20. T. N<sup>o</sup> 8 N.  
 R. N<sup>o</sup> 27.  
 41.70 Set a post for the cor. to 1/4 Sec. from which  
 B. Oak 30 in. dia. bume N72W. 18 links dist; to  
 W. Oak 12 a ~ ~ ~ N35E. 14 a ~ ~ ~  
 70.50 Intersected the West Boundary of T. N<sup>o</sup> 8 N.R. N<sup>o</sup>  
 27. 8 links North of the first set for the cor. to  
 Sec. 24 & 25 T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 37. made set a post  
 for the cor. to Sec. 19. & 30 from which  
 Beck 8 in. dia. bume N80W. 5 links dist; to  
 Lf 5 a ~ ~ ~ N10 E. 7 a ~ ~ ~  
 Sand soil and timber same as on the last mile.

West Between Sec. 30 & 31. T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 27.

T. N. 8 N. R. N. 2 W. 2<sup>nd</sup> Mer. (Ind.)

- 22.50 To a Bush 10 miles wide; across  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  Sec. from which a  
 Hickory 12 in. dia. bears S  $76^{\circ}$  E. 29 miles west; to  
 Dogwoods Co. a - - S  $53^{\circ}$  W. 12 a - -  
 65.00 To a Maple 18 in. dia. stands in the line.  
 69.90 Intersected the West Boundary of Twp. N. 8 N. R.  
 N. 2 W. 100 miles South of the post set for the  
 cor. to Sec. 25 T. 36. T. N. 8 N. R. N. 3 W. and set  
 a post for the cor. to Sec. 31 131 from which a  
 Hickory 12 in. dia. bears N  $63^{\circ}$  E. 4 miles west; to  
 Log 15 a - - S  $86^{\circ}$  E. 20 a - -  
 Good soil and timber same as in the last mile.

Surveyed by  
 Arthur Henry.  
 Dep. Surr.

I certify that the foregoing transcript of the  
 field notes of Township N. 8 N. Range N.  
 2 West of the 2<sup>nd</sup> Mer. Indiana, has been  
 compared with the Original notes in this Office  
 and found to be correct.

Surveyor General's Office  
 Cincinnati, Dec. 27. 1839.

E. J. Cairns  
 Sur. Genl.